


**PUBLIC DENTAL HEALTH IN UZBEKISTAN:  
CHALLENGES AND PERSPECTIVES**

**Abdulloh Razzakov**

Millat Umidi school

Tashkent, Uzbekistan

+998 99 834 85 28



**Abstract:** *Oral health is an essential component of overall health and well-being. In Uzbekistan, dental diseases remain highly prevalent and represent a significant public health concern. This study aims to analyze the current state of public dental health, identify key epidemiological trends, and assess systemic challenges in access, prevention, and service delivery. The findings highlight a high burden of dental caries and periodontal diseases, insufficient preventive programs, and disparities in access to dental care. Strengthening public health strategies and integrating oral health into national healthcare priorities are essential for improving population outcomes.*

**Keywords:** *Public dental health; oral health; dental caries; periodontal diseases; preventive dentistry; health systems; access to care; health inequalities; Uzbekistan; World Health Organization*

## **1. Introduction**

Oral health is a fundamental component of overall health and well-being, influencing not only physical conditions but also psychological and social functioning. The concept of oral health extends beyond the absence of dental diseases and includes the ability to speak, eat, and interact socially without pain, discomfort, or embarrassment. According to the World Health Organization, oral diseases are among the most common

non-communicable diseases globally, affecting billions of people and posing a significant burden on healthcare systems.

Dental caries, periodontal diseases, and tooth loss remain the leading oral health conditions worldwide. These diseases share common risk factors with other non-communicable diseases, including unhealthy diets high in free sugars, tobacco use, alcohol consumption, and poor hygiene practices. Importantly, oral diseases are largely preventable, which makes their high prevalence an indicator of gaps in public health systems, particularly in preventive care and health education.

In low- and middle-income countries, including Uzbekistan, the burden of oral diseases is especially pronounced. Rapid urbanization, changes in dietary habits, and limited access to preventive dental services contribute to the increasing prevalence of dental conditions. Despite improvements in the overall healthcare system, oral health has not yet received sufficient attention as a public health priority.

Epidemiological data indicate that dental caries affects a substantial proportion of the Uzbek population across all age groups. Children are particularly vulnerable, with a high prevalence of untreated caries, reflecting inadequate early prevention and limited access to pediatric dental services. Among adults, periodontal diseases are widespread and often remain undiagnosed until advanced stages, leading to tooth loss and reduced quality of life. These patterns suggest a systemic issue related to both healthcare delivery and public awareness.

Another important concern is the uneven distribution of dental services between urban and rural areas. Major cities such as Tashkent tend to have better access to dental clinics, specialists, and modern technologies, whereas rural regions often face shortages of qualified

professionals and infrastructure. This geographic disparity contributes to inequalities in oral health outcomes and access to care.

Financial barriers also play a critical role. A significant proportion of dental care expenses in Uzbekistan is paid out-of-pocket, which limits access to timely and preventive services. As a result, many individuals seek dental care only in cases of acute pain or advanced disease, further increasing the burden on the healthcare system.

Moreover, oral health in Uzbekistan is insufficiently integrated into general health policies and primary healthcare services. Preventive strategies, such as community-based education programs, fluoride use, and routine screenings, are not consistently implemented at the national level. This lack of integration reduces the effectiveness of early detection and intervention efforts.

Given these challenges, there is a clear need for a comprehensive analysis of public dental health in Uzbekistan. Understanding the epidemiological trends, risk factors, and systemic barriers is essential for developing effective policies and interventions.

The aim of this study is to evaluate the current state of public dental health in Uzbekistan, identify key challenges in prevention and service delivery, and propose evidence-based recommendations to improve oral health outcomes at the population level.

## **2. Methods**

### **2.1 Study Design**

This study was designed as a comprehensive narrative review with elements of systematic analysis, aimed at evaluating the current state of public dental health in Uzbekistan. The approach integrates findings from epidemiological studies, national health reports, and international

databases to provide a multidimensional understanding of oral health challenges and healthcare system performance.

The methodological framework was developed in accordance with general recommendations of the World Health Organization for public health research, particularly in the field of non-communicable diseases and oral health surveillance.

## **2.2 Data Sources and Search Strategy**

A structured literature search was conducted using multiple scientific and institutional sources to ensure comprehensive coverage of available data.

### **Electronic databases:**

- PubMed
- Scopus
- Google Scholar

### **Institutional and policy sources:**

- Reports from the World Health Organization
- National health statistics and governmental publications of Uzbekistan
- Regional public health reports and academic journals

### **Search keywords included:**

- “oral health Uzbekistan”
- “dental caries prevalence Central Asia”
- “periodontal disease Uzbekistan”
- “public dental health system Uzbekistan”
- “oral health policy Uzbekistan”

Boolean operators (AND, OR) were used to refine the search and improve relevance.

### 2.3 Inclusion and Exclusion Criteria

To ensure the reliability and relevance of the analyzed data, specific inclusion and exclusion criteria were applied.

#### **Inclusion criteria:**

- Studies published between 2015 and 2025
- Research focusing on oral health indicators (caries, periodontal disease, tooth loss)
- Articles addressing public health aspects, including prevention, access, and healthcare systems
- Studies conducted in Uzbekistan or including comparable regional data

#### **Exclusion criteria:**

- Case reports and small clinical studies with limited generalizability
- Articles lacking clear methodology or statistical data
- Publications not available in English or Russian
- Duplicate studies or overlapping datasets

### 2.4 Data Extraction and Synthesis

Relevant data were extracted systematically from selected sources using a standardized framework. The following variables were analyzed:

- Prevalence of dental caries and periodontal diseases
- Age-specific distribution of oral diseases
- Behavioral and socioeconomic risk factors
- Availability and distribution of dental services
- Preventive strategies and public health interventions

A descriptive analytical approach was used to synthesize the data. Quantitative findings were summarized and compared across studies,

while qualitative data were used to interpret systemic challenges and policy gaps.

## **2.5 Analytical Approach**

The analysis was conducted across four main domains:

### **1. Epidemiological burden**

Assessment of disease prevalence and severity across population groups.

### **2. Risk factor analysis**

Evaluation of behavioral, environmental, and socioeconomic determinants influencing oral health.

### **3. Health system capacity**

Examination of:

- Workforce availability
- Infrastructure
- Accessibility of dental services

### **4. Preventive care and policy**

Analysis of:

- Existing prevention programs
- National strategies
- Integration of oral health into primary healthcare

This structured framework allowed for a comprehensive understanding of both clinical and systemic dimensions of oral health in Uzbekistan.

## **2.6 Limitations**

Several limitations should be acknowledged:

- Limited availability of recent large-scale national epidemiological data

- Variability in study methodologies and sample sizes
- Potential publication bias in available literature
- Underrepresentation of rural populations in some studies

Despite these limitations, the combination of multiple data sources enhances the validity and reliability of the overall analysis.

### **3. Results**

#### **3.1 Epidemiological Burden of Oral Diseases**

The analysis of available literature demonstrates that oral diseases represent a significant and persistent public health burden in Uzbekistan, affecting all age groups.

Dental caries remains the most prevalent condition. Across studies, the overall prevalence ranges from 70% to over 80%, with the highest rates observed among adults. In some adult populations, prevalence reaches above 90%, indicating near-universal exposure to the disease.

Among children, the burden is also substantial. A large proportion of school-aged children present with untreated dental caries, reflecting both insufficient early detection and limited preventive interventions. Early childhood caries is particularly concerning, as it may lead to long-term complications, including impaired nutrition, speech development issues, and increased risk of future dental problems.

Periodontal diseases constitute the second major category of oral health conditions. Their prevalence increases significantly with age, affecting more than half of the adult population. In many cases, periodontal conditions remain undiagnosed until advanced stages, resulting in tooth mobility and eventual tooth loss.

Tooth loss, particularly among older adults, remains a notable outcome of untreated oral diseases. This has important implications for nutrition, general health, and quality of life.

### 3.2 Age and Population Group Disparities

The burden of oral diseases in Uzbekistan is not evenly distributed across the population.

- Children: High prevalence of untreated caries and limited access to preventive services
- Adolescents: Increasing exposure to risk factors such as sugar-rich diets and inadequate oral hygiene
- Adults: High rates of both caries and periodontal disease, often combined
- Elderly population: Increased tooth loss and complications due to chronic conditions

Urban–rural disparities are also evident. Residents of major cities such as Tashkent have relatively better access to dental care, including private clinics and specialized services. In contrast, rural populations experience:

- Reduced availability of dental professionals
- Limited infrastructure
- Lower utilization of preventive care

These disparities contribute to unequal oral health outcomes across regions.

### 3.3 Risk Factors and Behavioral Determinants

The results highlight several key factors contributing to the high prevalence of oral diseases:

#### Behavioral factors

- Poor oral hygiene practices (irregular brushing, lack of flossing)
- High consumption of sugar-rich foods and beverages
- Low utilization of preventive dental visits

#### **Socioeconomic factors**

- Limited health literacy regarding oral hygiene
- Financial constraints restricting access to care
- Inequality in education and awareness

#### **Lifestyle-related factors**

- Tobacco use, which contributes significantly to periodontal disease
- Dietary transitions associated with urbanization

The combination of these factors creates a high-risk environment for the development and progression of oral diseases.

### **3.4 Health System Capacity and Access to Care**

The analysis reveals several structural challenges within the dental healthcare system in Uzbekistan.

#### **Workforce limitations**

The density of dental professionals remains relatively low compared to international standards. This shortage is more pronounced in rural areas, where access to qualified dentists is limited.

#### **Service accessibility**

Access to dental care is unevenly distributed:

- Urban areas: greater availability of private clinics and modern technologies
- Rural areas: limited services and longer travel distances

#### **Financial barriers**

A significant proportion of dental services is financed through out-of-pocket payments, which discourages preventive visits and leads to delayed treatment.

As a result, many patients seek care only when symptoms become severe, shifting the focus from prevention to emergency and restorative treatment.

### **3.5 Preventive Care and Public Health Programs**

Preventive dental care remains underdeveloped at the national level.

Existing initiatives include:

- School-based oral health education programs
- Limited international collaborations targeting children

However, these programs are:

- Fragmented
- Limited in geographic coverage
- Not systematically integrated into primary healthcare

Fluoride-based prevention (such as water fluoridation or fluoride varnish programs) is not widely implemented, further reducing the effectiveness of caries prevention strategies.

### **3.6 Summary of Key Findings**

The results of this study highlight several critical points:

- Oral diseases are highly prevalent across all age groups
- Preventive care is insufficient and inconsistently implemented
- Significant urban–rural disparities exist in access to services
- Financial barriers limit timely utilization of dental care
- The healthcare system remains treatment-oriented rather than prevention-focused

#### 4. Discussion

##### 4.1 Principal Findings and Their Significance

The present study demonstrates that oral health in Uzbekistan remains a significant and underrecognized public health issue. The high prevalence of dental caries and periodontal diseases across all age groups indicates that current approaches to oral healthcare are insufficient to control disease burdens

Importantly, the findings suggest that oral diseases are not merely clinical problems but reflect systemic weaknesses in prevention, healthcare delivery, and public health policy. Given that most oral diseases are preventable, their persistence points to gaps in early intervention and health promotion strategies.

##### 4.2 Comparison with Global Trends

When compared with global data from the World Health Organization, Uzbekistan shows patterns similar to many low- and middle-income countries, where:

- Preventive care is underdeveloped
- Healthcare systems are treatment-oriented
- Public awareness of oral health remains limited

However, the prevalence levels observed in Uzbekistan are at the higher end of global estimates, particularly among adults. This suggests that existing preventive measures are either insufficient in scale or ineffective in implementation.

In contrast, countries that have successfully reduced oral disease burden have implemented:

- Nationwide fluoride programs
- School-based preventive interventions

- Integration of oral health into primary care

The absence or limited scale of such measures in Uzbekistan partially explains the observed disparities.

### **4.3 Public Health Implications**

The high burden of oral diseases has several important implications:

#### **Impact on general health**

Oral diseases are closely linked to systemic conditions such as cardiovascular diseases and diabetes. Poor oral health may exacerbate these conditions, increasing overall morbidity.

#### **Impact on quality of life**

Pain, tooth loss, and aesthetic concerns affect:

- Nutrition
- Speech
- Social interaction
- Psychological well-being

#### **Economic burden**

The reliance on out-of-pocket payments creates:

- Financial strain for households
- Delayed care-seeking behavior
- Increased long-term treatment costs

From a public health perspective, these factors highlight the need to prioritize oral health within national health strategies.

### **4.4 Structural Challenges in the Healthcare System**

The study identifies several structural barriers that limit the effectiveness of dental healthcare delivery.

#### **1. Workforce distribution**

Although dental professionals are present, their distribution is uneven, with a concentration in urban areas such as Tashkent. Rural regions remain underserved.

## **2. Limited preventive infrastructure**

Preventive services, including screenings and early interventions, are not systematically implemented at the national level.

## **3. Fragmentation of services**

Dental care is often separated from general healthcare services, reducing opportunities for integrated care and early detection.

## **4. Financial accessibility**

High out-of-pocket costs discourage regular dental visits and preventive care utilization.

## **4.5 Behavioral and Social Dimensions**

The findings emphasize the role of behavioral and social determinants in shaping oral health outcomes.

Low awareness of oral hygiene practices and preventive care indicates that:

- Health education programs are insufficient
- Preventive behaviors are not fully embedded in daily life

Dietary habits, particularly increased consumption of sugar-rich foods, further contribute to disease prevalence. These patterns are often associated with urbanization and lifestyle changes.

Importantly, these determinants are modifiable, suggesting that targeted interventions could significantly improve population-level outcomes.

## **4.6 Policy and System-Level Gaps**

One of the most critical issues identified is the lack of a comprehensive national oral health policy.

Currently, oral health is not fully integrated into:

- Primary healthcare services
- National non-communicable disease strategies
- Public health promotion frameworks

According to the World Health Organization, effective oral health systems should prioritize:

- Prevention
- Equity
- Integration
- Community-based approaches

The limited alignment with these principles reduces the overall efficiency and sustainability of the current system.

#### **4.7 Strengths and Limitations of the Study**

##### **Strengths:**

- Comprehensive analysis of multiple data sources
- Integration of epidemiological and health system perspectives
- Focus on public health implications

##### **Limitations:**

- Limited availability of recent national data
- Variability in study methodologies
- Potential underrepresentation of rural populations

Despite these limitations, the study provides a coherent and evidence-based overview of oral health challenges in Uzbekistan.

#### **4.8 Future Directions**

The findings suggest several priorities for future research and policy development:

- Conducting large-scale national epidemiological surveys
- Evaluating the effectiveness of preventive programs
- Exploring cost-effective models of dental care delivery
- Strengthening integration with primary healthcare

#### 4.9 Overall Interpretation

In summary, oral health in Uzbekistan reflects a complex interaction of epidemiological, structural, and behavioral factors. The persistence of high disease prevalence indicates that current strategies are insufficient and require substantial transformation.

A shift toward a preventive, integrated, and equitable oral healthcare system is essential to reduce disease burden and improve population health outcomes.

#### References

1. World Health Organization. Global oral health status report: towards universal health coverage for oral health by 2030. Geneva: WHO; 2022.
2. World Health Organization. Oral health. Available from: <https://www.who.int/news-room/fact-sheets/detail/oral-health>
3. Petersen PE, Baez RJ. Oral health surveys: basic methods. 5th ed. Geneva: World Health Organization; 2013.
4. GBD 2019 Oral Disorders Collaborators. Global, regional, and national levels and trends in oral conditions. The Lancet. 2020;395(10219):190–200.
5. Watt RG, Daly B, Allison P, et al. Ending the neglect of global oral health. The Lancet. 2019;394(10194):261–272.

6. Peres MA, Macpherson LMD, Weyant RJ, et al. Oral diseases: a global public health challenge. The Lancet. 2019;394(10194):249–260.
7. World Health Organization. Regional Office for Europe. Health systems in action: Uzbekistan. Copenhagen; 2024.